

# Stock Range **MDF**

1 JANUARY 2026



# STOCK RANGE MDF

---

MDF Standard	4
MDF Standard - Ultralight	7
MDF Standard - High density	8
MDF Moisture Resistant (MR)	10
MDF Fire Retardant (FR)	12
MDF Raw core coloured	16
Decorative MDF (Transparent lacquered core coloured)	18
MDF Ready to paint	20
MDF No added formaldehyde resin (NAF) & Biobased MDF	22
Compact MDF	23

## REACH 2026: what does this mean for you?

In **August 2026**, the new **REACH legislation** comes into force, setting stricter limits on **formaldehyde emissions**. We're ready for the change: from 1 April 2026, for orders placed from that date onwards, our entire stock range will consist of REACH-compliant products only.

To make the transition as smooth as possible for you, you can already see all upcoming changes in this stock list. Until 1 April, you order exactly as you do today, with the existing article codes. Because of our gradual stock transition, you may already receive a REACH-compliant article on the same terms.

In this document, the 'article' column shows what will change for orders placed from 1 April 2026 onwards:

- **The article switches to a REACH-compliant version on 1 April 2026:**  
the current article code is listed together with the new code (in orange) and updated name (incl. LF+) that applies from 1 April.
- **The article leaves our stock range after 1 April 2026:**  
the current article code shows 'phase out'.
- **A new article enters our range:**  
the article code appears in orange, followed by 'new'.

For products that already meet the new requirements today (such as the NAF, MDF Prime or Paint ranges) and remain in our assortment after 1 April 2026, nothing changes.

Any questions? Our sales team is happy to help: [info.panels@unilin.com](mailto:info.panels@unilin.com).

**A world first  
in MDF recycling**



Did you know we're the first to recycle MDF on an industrial scale? End-of-life MDF and HDF no longer go to landfill or incineration. We separate the fibres and reuse them as raw material for new boards. The result? Lower energy use and CO<sub>2</sub> that stays locked in for longer.

**In the coming years, we aim to replace a quarter of all fibres in our MDF mix with recycled fibres, across every site.**

Want to know how our MDF recycling works and discover more of our Wood Revolutions? Explore the story at [unilinpanels.com](https://unilinpanels.com).



# MDF STANDARD



## FIBRABEL LF+



- Standard density
- L-MDF (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
8	90	32941 > 58632	1,44	90	32953 > 58633	1,80
9	80	32942 > 58634	1,42	80	32954 > 58635	1,78
10	72	32943 > 58636	1,40	72	32955 > 58637	1,75
12	60	32944 > 58669	1,34	60	32956 > 58670	1,67
15	50	32945 > 58672	1,39	50	32957 > 58673	1,74
16	45	32946 > 58674	1,34	45	32958 > 58675	1,67
18	40	32947 > 58679	1,33	40	32959 > 58680	1,67
19	40	32948 > 58683	1,37	40	32960 > 58684	1,71
22	32	32949 > 58727	1,28	32	32961 > 58728	1,60
25	28	32950 > 58731	1,27	28	32962 > 58732	1,59
28	24	32951 > 58734	1,23	24	32963 > 58735	1,53
30	24	31776 > 58737	1,31	24	32964 > 58738	1,64
38	20	30884 > 58740	1,38	20	30885 > 58741	1,73

thickness (mm)	1310x3050 mm			1250x2500 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
16	45	32966 > 58676	1,79			
18	40	31777 > 58682	1,79	50	32965 > 58681	1,70
22	32	32968 > 58729	1,72			
28	24	32969 > 58736	1,65			
38	20	32970 > 58742	1,85			

thickness (mm)	2200x3660 mm			2200x4150 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
10	42	54496 > 58668	2,41			
12	36	54497 > 58671	2,33			
16	27	54528 > 58678	2,29	25	42807 > 58677	2,34
19	24	32980 > 58686	2,33	20	42806 > 58685	2,22
22	21	54529 > 58730	2,22			
25	18	32982 > 58733	2,27			
30	15	32983 > 58739	2,27			
40	12	32984 > 61261	2,41			

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



## MDF STANDARD

### FIBROFIT LF+



- Standard density
- L-MDF (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	100	4078 > 58662	1,71	100	4066 > 58663	2,14
10	90	6501 > 58664	1,66			
12	75	4079 > 58665	1,66	75	4088 > 58666	2,07
15	60	6912 > 58667	1,65	60	7693 > 58718	2,07
16	60	4089 > 58719	1,76	60	4119 > 58720	2,20
18	50	3418 > 58721	1,65	50	3471 > 58722	2,07
19	50	10096 > 58723	1,74			
22	40	6527 > 58725	1,62			
25	32	10127 > 58726	1,47			

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
19	29	42931 > 58724	2,01



FIBRALUX MR  
BLACK SATIN



# MDF STANDARD - ULTRALIGHT



## FIBRABEL ULTRALIGHT LF+



- Ultralight density
- UL2-MDF (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	60	32875 > 58576	1,19	60	32931 > 58577	1,48
15	50	32876 > 58591	1,23	50	32932 > 58592	1,54
18	40	32877 > 58595	1,18	40	32933 > 58596	1,48
25	28	32928 > 58602	1,15			
38	20	32930 > 58606	1,24	20	32935 > 58607	1,56

thickness (mm)	2200x3660 mm		
	#/pack	article	weight/pack
19	24	32938 > 58601	2,07

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



## MDF STANDARD - HIGH DENSITY



### FIBRALUX LF+



- High density
- MDF.LA (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm		
	#/pack	article	weight/pack
3*	240	31778	1,74
4*	192	32986	1,80
6	120	32987 > 58638	1,79
8	90	32988 > phase out**	1,70
10	72	32990 > 58642	1,61
12	60	32991 > 58644	1,59
15	50	32992 > phase out**	1,63
16	45	32993 > 58648	1,57
18	40	32994 > 58650	1,57
19	40	32995 > 58652	1,62
22	32	32996 > 58654	1,47
25	28	32997 > 58656	1,46
28	24	32998 > phase out**	1,42
30	24	32999 > phase out**	1,51

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
6	120	33000 > 58639	2,24
8	90	33001 > phase out**	2,13
10	72	33002 > 58643	2,02
12	60	33003 > 58645	1,99
15	50	33004 > phase out**	2,04
16	45	33005 > 58649	1,97
18	40	33006 > 58651	1,96
19	40	33007 > 58653	2,02
22	32	33008 > 58655	1,84
25	28	33009 > 58657	1,83
28	24	33010 > phase out**	1,76
30	24	33011 > phase out**	1,88

\* Non-sanded board. Not suitable for any surface finishing.

\*\* Available while stocks last. An alternative for this item will be available from April 2026 in Fibrabel LF+, Fibrabel MR LF+ or Fibralex MR LF+.

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



## MDF STANDARD - HIGH DENSITY

### FIBROMAX PRO LF+



- High density
- L-MDF (EN622-5)
- Compliance: E1

thickness (mm)	2070x2800 mm			2070x4100 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
3	100	42970	1,42			
6	74	50568	2,03			
8	60	50569	2,05	51	50571	2,57
10	51	50570	2,01	44	50572	2,56
12	43	50578	2,04	36	50583	2,52
16	32	50579	2,02	27	50584	2,51
19	24	50580	1,81	23	50585	2,54
22	23	50581	1,99	20	50586	2,55
25	21	50582	2,06	18	50587	2,60
28	20	45098	2,01			
30	17	45097	1,84			
38	15	45099	2,04			

thickness (mm)	1220x2280 mm			1310 x 3060 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
10	90	42932 > 58329	1,67			
18				33	54617 > 58563	1,6

### FIBROMAX LF+



- High density
- MDF (EN622-5)
- Compliance: E1

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
6	138	56207 > 59074	2,02	99	21950 > 59082	1,83
9	88	2312 > 59075	1,84			
10	84	2314 > 59076	1,93			
12	68	2315 > 59077	1,87	68	2340 > 59083	2,34
16	52	2320 > 59078	1,85	52	2342 > 59084	2,32
18	44	2323 > 59079	1,77	44	6523 > 59085	2,21
19	44	2327 > 59080	1,86	44	2345 > 59086	2,33
22	36	2329 > 59081	1,74	36	2346 > 59087	2,18


thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
10	44	42933 > 59088	2,01
12	38	42934 > 59089	2,07
16	29	42935 > 59090	2,06
18	25	2959 > 59091	1,97
19	24	42936 > 59092	2,02
22	21	42937 > 59093	2,01



# MDF MOISTURE RESISTANT (MR)



## FIBRABEL MR LF+




- Standard density
- L-MDF.H (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	60	33055 > 60615	1,36	60	33060 > 60616	1,70
15	50	33056 > 60621	1,41	50	33061 > 60622	1,77
16	45	59851 (new)	1,35	45	59852 (new)	1,68
18	40	33057 > 60403	1,35	40	33062 > 60404	1,69
19	40	59853 (new)	1,41	40	59854 (new)	1,77
22	32	33058 > 60720	1,32	32	33063 > 60721	1,66
30	24	59855 (new)	1,32	24	59856 (new)	1,65
38	20	33059 > 60724	1,42	20	33064 > 60725	1,78

thickness (mm)	1310x3050 mm		
	#/pack	article	weight/pack
18	40	33065 > 60405	1,82
38	20	42808 > 60726	1,91



## FIBRALUX MR LF+



- High density
- MDF.HLS (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
6	120	30893 > 60949	1,79	120	30895 > 60950	2,24
9	80	30894 > 60956	1,64	80	30896 > 60957	2,05
12	60	33035 > 60640	1,59	60	33043 > 61051	1,99
15	50	33036 > 60660	1,63	50	33044 > 60661	2,04
16	45	33037 > 60664	1,57	45	33045 > 60665	1,97
18	40	33038 > 60775	1,57	40	33046 > 60776	1,96
19	40	33039 > 60786	1,65	40	33047 > 60787	2,07
22	32	33040 > 60296	1,51	32	33048 > 60297	1,89
25	28	33041 > 60584	1,50	28	33049 > 60585	1,88
30	24	33042 > 60589	1,55	24	33050 > 60590	1,93

thickness (mm)	1220x2150 mm			1310x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
16				45	33053 > 60666	2,11
18	40	42809 > 60777	1,38			
22				32	33054 > 60578	2,03

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



## MDF MOISTURE RESISTANT (MR)



### FIBRALUX MR NAF



- High density
- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB NAF / EPA TSCA VI NAF / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	60	42871 > phase out*	1,61	60	42875 > phase out*	2,02
16	45	42869 > phase out*	1,58	45	42876 > phase out*	1,98
18	40	42872 > phase out*	1,58	40	42877 > phase out*	1,97
19	40	42873 > phase out*	1,66	40	42878 > phase out*	2,08

\* Available while stocks last. An alternative for this item will be available from April 2026 in MR LF+ variants, Fibralux MR FR NAF or Fibralux Biobased.

### FIBROFIT MR LF+



- Standard density
- L-MDF.H (EN622-5)
- Compliance: E1

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	75	10032 > 59293	1,66	75	10238 > 59294	2,07
15	60	10043 > 59299	1,65			
18	50	8998 > 59314	1,65	50	7638 > 59313	2,07

### FIBROMAX MR LF+



- High density
- MDF.H (EN622-5)
- Compliance: E1

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	68	3414 > 59728	1,87	68	3453 > 59729	2,34
15	56	10235 > 59607	1,80	56	10236 > 59608	2,34
16	52	2321 > 59738	1,85	52	2968 > 59739	2,32
18	44	2324 > 59664	1,77	44	2344 > 59665	2,21
19	44	45033 > 59784	1,86			
22	36	6530 > 59609	1,74	36	3898 > 59793	2,18

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
18	25	45035 > 59780	1,97

### FIBROMAX MR UNCOLOURED LF+



- High density
- MDF.H (EN622-5)
- Compliance: E1

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
12	38	45034 > 61272	2,01
16	29	29151 > 61268	2,06
19	24	42983 > 61271	1,97
22	21	29943 > 61269	2,01



## MDF FIRE RETARDANT (FR)



### FIBRABEL FR LF+



- Standard density
- Compliance: E1 / CARB II / EPA TSCA VI
- L-MDF FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
12	60	30887 > 60080	1,42	60	30890 > 60081	1,78	B-s2-d0
15	50	30888 > 60086	1,46	50	30891 > 60087	1,82	B-s1-d0
16	45	60091 (new)	1,42	45	60090 (new)	1,78	B-s1-d0
18	40	30889 > 60132	1,4	40	30892 > 60133	1,75	B-s1-d0
19	40	60138 (new)	1,49	40	60139 (new)	1,87	B-s1-d0
22	32	60143 (new)	1,39	32	60144 (new)	1,73	B-s1-d0
25	28	60145 (new)	1,40	28	60146 (new)	1,75	B-s1-d0
30	24	60148 (new)	1,44	24	60149 (new)	1,80	B-s1-d0

thickness (mm)	1310x3050 mm			2070x2800 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
12				50	60083 (new)	2,32	B-s2-d0
16				40	60095 (new)	2,40	B-s1-d0
18	40	42810 > 60134	1,87				B-s1-d0
19				30	60142 (new)	2,14	B-s1-d0



### FIBRABEL FR WHEELMARK LF+



- Standard density
- Compliance: E1 / CARB II / EPA TSCA VI
- L-MDF FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 / Wheelmark

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
15	50	33031 > 60267	1,46	50	33033 > 60968	1,82	B-s1-d0
18	40	33032 > 60973	1,40	40	33034 > 60974	1,75	B-s1-d0



### FIBRABEL FR UNCOLOURED LF+



- Standard density
- Compliance: E1 / CARB II / EPA TSCA VI
- L-MDF FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	2070x2800 mm			2200x3660 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
10				45	33241 > 60078	2,48	B-s2-d0
12				38	33242 > 60082	2,48	B-s2-d0
16	40	33239 > 60093	2,43	28	33245 > 60094	2,40	B-s1-d0
19	30	33240 > 60140	2,11	24	33246 > 60141	2,44	B-s1-d0
25				18	33243 > 60147	2,41	B-s1-d0



## MDF FIRE RETARDANT (FR)



### FIBRALUX FR LF+



- High density
- Compliance: E1 / CARB II / EPA TSCA VI
- MDF.LA FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
6	120	30799 > 60360	1,82	120	30849 > 60361	2,27	B-s2-d0
9	80	30800 > 60364	1,68	80	30850 > 60365	2,10	B-s2-d0
12	60	30801 > 60381	1,64	60	30851 > 60382	2,05	B-s1-d0
15	50	30802 > 60391	1,68	50	30852 > 60392	2,10	B-s1-d0
16	45	30803 > 60395	1,61	45	30853 > 60396	2,02	B-s1-d0
18	40	30804 > 60244	1,61	40	30854 > 61353	2,01	B-s1-d0
19	40	30805 > 61351	1,66	40	30855 > 61354	2,08	B-s1-d0
22	32	30806 > 60268	1,53	32	30856 > 61355	1,92	B-s1-d0
25	28	30807 > 61352	1,52	28	30857 > 61356	1,91	B-s1-d0
30	24	30848 > 60281	1,57	24	30858 > 60282	1,96	B-s1-d0

thickness (mm)	2200x3660 mm			Euroclass
	#/pack	article	weight/pack	
19	24	30860 > 60259	2,81	B-s1-d0



### FIBRALUX FR WHEELMARK LF+



- High density
- Compliance: E1 / CARB II / EPA TSCA VI
- MDF.LA FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 / Wheelmark

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
12	60	33013 > 60218	1,64	60	33021 > 60219	2,05	B-s1-d0
15	50	33014 > 60220	1,68	50	33022 > 60221	2,10	B-s1-d0
16	45	33015 > 60222	1,61	45	33023 > 60223	2,02	B-s1-d0
18	40	33016 > 60224	1,61	40	33024 > 60225	2,01	B-s1-d0
19	40	33017 > 60226	1,66	40	33025 > 60227	2,08	B-s1-d0
22	32	33018 > 60229	1,53	32	33026 > 60230	1,92	B-s1-d0
25	28	33019 > 60231	1,52	28	33027 > 60232	1,91	B-s1-d0
30	24	33020 > 60233	1,57	24	33028 > 60234	1,96	B-s1-d0

thickness (mm)	2200x3660 mm			Euroclass
	#/pack	article	weight/pack	
19	24	33029 > 60228	2,81	B-s1-d0

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



## MDF FIRE RETARDANT (FR)



### FIBRALUX FR BLACK LF+



- High density
- Compliance: E1 / CARB II / EPA TSCA VI
- MDFLA FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
9	80	44445 > 60306	1,69	80	46747 > 60307	2,11	B-s2-d0
12	60	43461 > 60308	1,64	60	43462 > 60309	2,05	B-s2-d0
16	45	43463 > 60314	1,61	45	43464 > 60315	2,02	B-s1-d0
18	40	43465 > 60318	1,61	40	43466 > 60319	2,01	B-s1-d0
19	40	43551 > 60321	1,66	40	43552 > 60322	2,08	B-s1-d0

MOQ: 25 panels, followed by a multiple of 5 panels.

MOQ: 20 panels, followed by a multiple of 4 panels.

thickness (mm)	1310x3050 mm			Euroclass
	#/pack	article	weight/pack	
18	40	44727 > 60320	2,01	B-s1-d0

MOQ: 20 panels, followed by a multiple of 4 panels.  
If panel width 1300 or 1310 mm is ordered, an equal number of boards in width 1220 mm needs to be ordered as well.



### FIBRALUX MR FR NAF



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.H FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
16	45	33140	1,61	45	33144	2,02	B-s1-d0
18	40	33141	1,61	40	33145	2,01	B-s1-d0
19	40	33142	1,66	40	33146	2,08	B-s1-d0

thickness (mm)	2070x2800 mm			Euroclass
	#/pack	article	weight/pack	
16	40	44432	2,86	B-s1-d0
19	30	44433	2,57	B-s1-d0

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes





# MDF RAW CORE COLOURED



## FIBRABEL BLACK LF+



- Standard density
- L-MDF (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	80	51559	1,44	80	51560	1,79
12	60	51537	1,44	60	51558	1,79
16	45	55444 > phase out*	1,32	45	55445 > phase out*	1,66
18	40	55441	1,32	40	55442	1,65
19	40	55446 > phase out*	1,39	40	55447 > phase out*	1,74

thickness (mm)	1310x3050 mm			2070x2800 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
10				60	44853	2,28
12				50	44854	2,27
16				40	44855	2,42
18	40	55443	1,77	30	44856	2,06
19				30	44857	2,17
22				25	44858	2,09
25				22	44859	2,09
30				19	44860	2,17

\* Available while stocks last. An alternative for this item will be available from April 2026 in Fibrablux MR Black LF+.



## FIBRALUX MR BLACK LF+



- High density
- MDF.HLS (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
6	120	30866 > 60454	1,79	120	30874 > 60455	2,24
9	80	30867 > 60460	1,68	80	30875 > 60461	2,10
12	60	30868 > 60467	1,64	60	30876 > 60468	2,05
16	45	30869 > 60654	1,61	45	30877 > 60655	2,02
18	40	30870 > 60699	1,61	40	30878 > 60700	2,01
19	40	30871 > 60569	1,66	40	30879 > 60570	2,08
22	32	30872 > 60575	1,55	32	30880 > 60576	1,94
25	28	30873 > 60649	1,55	28	30881 > 60650	1,93

thickness (mm)	1310x3050 mm			2070x2800 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	40	42818 > 60704	2,16	30	30882 > 60701	2,38
19				30	30883 > 60571	2,44



# MDF RAW CORE COLOURED



## FIBRALUX MR GREY LF+



- High density
- MDF.HLS (EN622-5)
- Compliance: E1 / CARB II / EPA TSCA VI

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	40	33102 > 60545	1,61	40	33106 > 60546	2,01
19	40	33103 > 60549	1,66	40	33107 > 60550	2,08



## FIBRALUX FR BLACK LF+



- High density
- Compliance: E1 / CARB II / EPA TSCA VI
- MDF.LA FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
9	80	44445 > 60306	1,69	80	46747 > 60307	2,11	B-s2-d0
12	60	43461 > 60308	1,64	60	43462 > 60309	2,05	B-s2-d0
16	45	43463 > 60314	1,61	45	43464 > 60315	2,02	B-s1-d0
18	40	43465 > 60318	1,61	40	43466 > 60319	2,01	B-s1-d0
19	40	43551 > 60321	1,66	40	43552 > 60322	2,08	B-s1-d0

MOQ: 25 panels, followed by a multiple of 5 panels.

MOQ: 20 panels, followed by a multiple of 4 panels.

thickness (mm)	1310x3050 mm			Euroclass
	#/pack	article	weight/pack	
18	40	44727 > 60320	2,01	B-s1-d0

MOQ: 20 panels, followed by a multiple of 4 panels.

If panel width 1300 or 1310 mm is ordered, an equal number of boards in width 1220 mm needs to be ordered as well.

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



# DECORATIVE MDF (TRANSPARENT LACQUERED CORE COLOURED)

## DECORATIVE-FIBRALUX MR BLACK OL100/SM1 (ORIGINAL BLACK/SUPER MATT)



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.HLS (EN622-5)
- Fingerprint proof & soft touch and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400057451	1,01
19	20	400057450	1,01

## DECORATIVE-FIBRALUX MR GREY OL101/SM1 (METEOR GREY/SUPER MATT)



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.HLS (EN622-5)
- Fingerprint proof & soft touch and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072812	1,01
19	20	400072811	1,01

## DECORATIVE-FIBRALUX MR GREY OL102/SM1 (MERCURY GREY/SUPER MATT)



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.HLS (EN622-5)
- Fingerprint proof & soft touch and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072813	1,01
19	20	400072814	1,01

## DECORATIVE-FIBRALUX MR BLACK OL100/SA1 (ORIGINAL BLACK/SATIN)



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.HLS (EN622-5)
- Silk gloss laquer and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072708	1,01
19	20	400072719	1,01

## DECORATIVE-FIBRALUX MR BLACK OL100/HG1 (ORIGINAL BLACK/HIGH GLOSS)



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.HLS (EN622-5)
- High gloss laquer and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072697	1,01
19	20	400072698	1,01

## EDGE TAPE

### EDGE TAPE FOR DECORATIVE MDF

Unilin reference	finish	ABS 1 mm 75m/roll
OL100 - Original Black	SM1 - Super Matt	61008873
OL100 - Original Black	SA1 - Satin	61008874
OL100 - Original Black	HG1 - High Gloss	61008870
OL101 - Meteor Grey	SM1 - Super Matt	61008876
OL102 - Mercury Grey	SM1 - Super Matt	61008877

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



## MDF READY TO PAINT



### FIBRABEL PRIME




- Standard density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- L-MDF (EN622-5)
- White primer coating on both sides.

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	80	400107163	1,44			
12	60	400107164	1,35	60	400107361 (new)	1,75
16	45	400107162	1,34			
18	40	400107101	1,34	40	400107100	1,68



### FIBRABEL MR PRIME




- Standard density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- L-MDF.H (EN622-5)
- White primer coating on both sides.

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	40	400107130	1,34	40	400107131	1,68



### FIBRALUX MR PRIME



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.HLS (EN622-5)
- White primer coating on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
12	60	400107152	2,01
18	40	400107129	1,97

### FIBROFIT PRIME



- Standard density
- Compliance: E1 / REACH / ChemVerbotsV
- L-MDF (EN622-5)
- White primer coating on both sides.

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	80	400107166 > 400107163	1,40			
12	60	400107170 > 400107164	1,30	60	400107165 > 400107361	1,60
16	45	400107167 > 400107162	1,30			
18	40	400107168 > 400107101	1,30	40	400107169 > 400107100	1,60

All "Spanolux Original" stock items listed in this stock programm, in sizes 1220x2440, 1220x3050, and 1310x3050 mm, can be supplied with a Prime coating upon request (single or double-sided). Minimum order quantity: 2 packs of the base MDF board. Not available for Fibralux 3 & 4 mm or for fire-retardant MDF.



## MDF READY TO PAINT

### FIBROFIT PAINT



- Standard density
- L.MDF (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	42	123472	0,80	42	113645	1,00
12	42	123473	1,00			
16	42	123471	1,30			
18	42	123470	1,50	30	123468	1,30

### FIBROMAX PAINT



- High density
- MDF (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
19	24	123467	2,10


### FIBROMAX PRO PAINT



- High density
- L.MDF (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
10	24	153538	1,10
12	24	153539	1,20
16	24	153540	1,60
19	24	153541	1,90

### FIBROMAX MR PAINT



- High density
- MDF.H (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	42	127553	1,80	42	122417	2,20

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



# MDF NO ADDED FORMALDEHYDE RESIN (NAF) & BIOBASED MDF



## FIBRALUX MR NAF



- High density
- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB NAF / EPA TSCA VI NAF / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	60	42871 > phase out*	1,61	60	42875 > phase out*	2,02
16	45	42869 > phase out*	1,58	45	42876 > phase out*	1,98
18	40	42872 > phase out*	1,58	40	42877 > phase out*	1,97
19	40	42873 > phase out*	1,66	40	42878 > phase out*	2,08

\* Available while stocks last. An alternative for this item will be available from April 2026 in MR LF+ variants, Fibralux MR FR NAF or Fibralux Biobased.



## FIBRALUX MR FR NAF



- High density
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- MDF.H FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
16	45	33140	1,61	45	33144	2,02	B-s1-d0
18	40	33141	1,61	40	33145	2,01	B-s1-d0
19	40	33142	1,66	40	33146	2,08	B-s1-d0

thickness (mm)	2070x2800 mm			Euroclass
	#/pack	article	weight/pack	
16	40	44432	2,86	B-s1-d0
19	30	44433	2,57	B-s1-d0



## FIBRALUX BIOBASED



- MDF crafted from 100% recovered wood and vegetal glue
- High density
- MDF (EN622-5)
- Compliance: E1 / REACH / CARB NAF / EPA TSCA VI NAF / ChemVerbotsV


thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
12	60	51489 > phase out	2,02
16	45	51490 > phase out	2,00
18	40	51491	2,00

You see ...	This changes on 1 April 2026
article > article	current article > new REACH article
article > phase out	current article > leaves our stock range
article (new)	article is new in our stock range
article	no changes



## COMPACT MDF

### FIBROMAX COMPACT MR BLACK LF+

	<ul style="list-style-type: none"><li>• Density &gt; 1000 kg/m<sup>3</sup></li><li>• Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV</li></ul>		
<b>thickness (mm)</b>	<b>1300x3050 mm</b>		
	<b>#/pack</b>	<b>article</b>	<b>weight/pack</b>
<b>6</b>	30	54244	0,85
<b>10</b>	30	54246	1,43
<b>12</b>	30	54248	1,69
<b>13</b>	30	54250	1,82

The information provided is correct at the time of printing. For the most recent version of our stocklist, please consult our website. Contact your Unilin Panels representative for additional information.

#### PRIME

We offer a flexible make-to-order range for ready-to-paint panels with white prime coating.

#### SMALLER QUANTITIES

The following products can be ordered in quantities smaller than full pack:

- "Spanolux Original" stock references in panel width 1220 & 1310 mm (except Fibralux 3 & 4 mm and 'Prime' panels)
- Fibromax Compact MR Black stock references in panel sizes 1300x3050 and 1310x3050 mm

Once a picking order has been executed (packed), it is no longer possible to cancel the order. The order will be shipped and invoiced.

#### FSC/PEFC

All articles in our stock range can be ordered with FSC or PEFC certificates.

## Unilin Panels

---

Unilin Panels – part of the Unilin group – has been supplying innovative wood based solutions for building and interior design projects since 1960. Our chipboard, medium density fibreboard (MDF), High-Density fibreboard (HDF), High Pressure Laminate (HPL) and melamine-faced chipboards find their way to merchants in building materials and timber, industrial processors and DIY-chains worldwide.

We develop solutions tailored to your specific needs with creativity and innovation as the key drivers of our business. We continuously invest in product design and new technologies. Hence, we're recognized as a leading international player and a reliable partner in in our niche sector.

Our 1,300 employees give their all, day after day, at our production units in Belgium, France and the Netherlands. Altogether we produce 2.5 million m<sup>3</sup> of panels per year.



Breestraat 2B  
8710 Wielsbeke  
Belgium  
T +32 56 66 70 21

info.panels@unilin.com  
www.unilinpanels.com



**Check the current stock on My Panels:**  
[my.unilinpanels.com](http://my.unilinpanels.com). No account yet? Get in touch with your sales contact and enjoy all the benefits of our My Panels platform.



**Free sample service**  
Scan the QR code for additional info, documents and free larger samples or visit [unilinpanels.com](http://unilinpanels.com).